

Summaries by Government Office Region

These summaries should be read in combination with the main “Make Every Child Count’ report. The methods used for these regional summaries are identical to those in the main report apart from the calculation of Deprivation categories which were recalculated for each region rather than nationally:

An index of multiple deprivation (IMD2010) was assigned to each individual based on the 2001 Lower-layer Super Output Area (LSOA) of residence. Five deprivation categories were created, from least (category 1) to most deprived (category 5), based on IMD2010 scores. These categories were population weighted and calculated separately for each region. Thus, each category contained approximately 20% of the population (aged 0-19) for that region.

Note of caution: for some of these regions data contain relatively small numbers and therefore care in interpretation is required.

Contents

East Midlands.....	2
East of England.....	8
London	15
North East	21
North West.....	27
South East	33
South West.....	40
West Midlands	46
Yorkshire and Humber	52

East Midlands

Table 1: Number of cases and prevalence (per 10,000 population) of children (aged 0-19) with life-limiting conditions by year and age group for East Midlands Government Office Region

Financial year	Total Number of cases	Overall			age < 1			age 1-5			age 6-10			age 11-15			age 16-19		
		Prevalence	95%CI		Prevalence	95%CI		Prevalence	95%CI		Prevalence	95%CI		Prevalence	95%CI		Prevalence	95%CI	
2001	2,718	26.0	25.0	27.0	127.7	117.3	138.1	31.6	29.4	33.9	18.0	16.4	19.6	19.1	17.5	20.7	16.9	15.2	18.7
2002	3,020	28.8	27.8	29.8	126.2	115.9	136.5	38.9	36.4	41.4	20.6	18.9	22.3	20.1	18.4	21.7	18.5	16.7	20.3
2003	3,215	30.6	29.5	31.6	127.2	117.0	137.5	41.2	38.7	43.8	22.0	20.2	23.7	22.0	20.3	23.7	20.1	18.2	21.9
2004	3,273	31.0	30.0	32.1	124.8	114.9	134.8	41.8	39.2	44.4	23.4	21.6	25.3	22.4	20.7	24.1	19.2	17.4	21.1
2005	3,598	34.1	33.0	35.2	133.1	122.9	143.3	46.4	43.6	49.1	24.4	22.5	26.3	23.6	21.8	25.4	24.4	22.4	26.5
2006	3,947	37.4	36.2	38.5	164.7	153.5	175.8	47.2	44.4	49.9	28.5	26.4	30.5	24.6	22.8	26.5	24.8	22.7	26.8
2007	4,215	39.7	38.5	40.9	161.3	150.4	172.2	50.2	47.4	53.0	30.4	28.2	32.5	25.4	23.5	27.2	29.1	26.9	31.3
2008	4,420	41.5	40.2	42.7	158.7	148.2	169.3	52.0	49.2	54.8	33.6	31.4	35.9	26.4	24.5	28.4	29.3	27.2	31.5
2009	4,775	44.6	43.3	45.8	178.3	167.1	189.5	55.2	52.4	58.1	35.2	32.9	37.5	28.9	26.9	30.9	30.9	28.7	33.1
2010	4,939	46.0	44.7	47.2	174.7	163.7	185.8	58.2	55.3	61.1	35.6	33.2	37.9	30.2	28.1	32.3	32.0	29.7	34.3
2011	4,970	46.2	44.9	47.5	162.8	152.2	173.4	56.0	53.2	58.9	38.4	35.9	40.8	31.1	29.0	33.2	33.3	31.0	35.6
2012	5,236	48.6	47.3	49.9	178.5	167.5	189.6	59.3	56.4	62.2	40.2	37.7	42.6	32.5	30.4	34.7	32.9	30.6	35.2
2013	5,468	50.7	49.4	52.1	188.2	176.7	199.7	59.5	56.6	62.4	40.2	37.7	42.6	37.3	35.0	39.7	34.9	32.5	37.3
2014	5,724	53.0	51.7	54.4	202.9	190.9	215.0	61.6	58.7	64.5	42.5	40.0	45.0	38.8	36.4	41.3	36.4	33.9	38.8
2015	6,005	55.4	54.0	56.8	199.3	187.4	211.2	64.5	61.5	67.5	44.8	42.3	47.3	40.3	37.9	42.8	40.5	37.9	43.1
2016	6,178	56.8	55.4	58.2	211.2	199.0	223.3	65.5	62.5	68.5	46.0	43.4	48.5	42.4	39.9	44.9	39.2	36.6	41.8
2017	6,655	60.9	59.5	62.4	213.9	201.7	226.1	69.4	66.3	72.5	48.8	46.2	51.3	46.6	44.0	49.2	45.3	42.5	48.1
95% CI: 95% Confidence intervals																			




Figure 1: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by diagnosis in East Midlands Government Office Region




Figure 2: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by sex in East Midlands Government Office Region




Figure 3: Prevalence of children (age 0-19) with life-limiting conditions by ethnic group for 2017 for East Midlands Government office region.




Figure 4 Prevalence of children (age 0-19) with life-limiting conditions by (population weighted) deprivation group for 2017 for East Midlands Government office region.

Table 2: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by Local Authority in East Midlands Government Office Region for 2017

Local Authority	Number of cases	Total population	Prevalence per 10,000	95% Confidence intervals
Amber Valley	149	26608	56.0	47.0 65.0
Ashfield	218	28866	75.5	65.5 85.5
Bassetlaw	176	25531	68.9	58.8 79.1
Blaby	122	22112	55.2	45.4 64.9
Bolsover	102	17072	59.7	48.2 71.3
Boston	82	15379	53.3	41.8 64.8
Broxtowe	134	23972	55.9	46.5 65.3
Charnwood	196	39154	50.1	43.1 57.0
Chesterfield	176	22782	77.3	65.9 88.6
City of Derby	385	67892	56.7	51.1 62.4
City of Leicester	554	97176	57.0	52.3 61.7
City of Nottingham	536	81092	66.1	60.5 71.7
Corby	143	17250	82.9	69.4 96.4
Daventry	112	18278	61.3	50.0 72.6
Derbyshire Dales	64	14266	44.9	33.9 55.8
East Lindsey	171	26213	65.2	55.5 75.0
East Northamptonshire	143	21742	65.8	55.0 76.5
Erewash	160	25128	63.7	53.8 73.5
Gedling	139	25716	54.1	45.1 63.0
Harborough	83	19904	41.7	32.7 50.7
High Peak	123	20222	60.8	50.1 71.5
Hinckley and Bosworth	138	23789	58.0	48.4 67.7
Kettering	153	24253	63.1	53.1 73.1
Lincoln	128	21058	60.8	50.3 71.3
Mansfield	180	24572	73.3	62.6 83.9
Melton	72	11191	64.3	49.5 79.1
Newark and Sherwood	173	26079	66.3	56.5 76.2
North East Derbyshire	151	20456	73.8	62.1 85.5
North Kesteven	173	24224	71.4	60.8 82.0
North West Leicestershire	108	21835	49.5	40.2 58.8
Northampton	403	56274	71.6	64.6 78.6
Oadby and Wigston	76	14382	52.8	41.0 64.7
Rushcliffe	134	25811	51.9	43.1 60.7
Rutland	42	8758	48.0	33.5 62.4
South Derbyshire	131	23655	55.4	45.9 64.8
South Holland	108	19182	56.3	45.7 66.9
South Kesteven	164	30609	53.6	45.4 61.8
South Northamptonshire	117	20599	56.8	46.5 67.1
Wellingborough	123	19356	63.5	52.4 74.7
West Lindsey	113	19735	57.3	46.7 67.8




Figure 5: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by Local Authority in East Midlands Government Office Region for 2017

East of England

Table 3: Number of cases and prevalence (per 10,000 population) of children (aged 0-19) with life-limiting conditions by year and age group for East of England Government Office Region

Financial year	Total Number of cases	Overall Prevalence		age < 1			age 1-5			age 6-10			age 11-15			age 16-19		
		95%CI		Prevalence	95%CI		Prevalence	95%CI		Prevalence	95%CI		Prevalence	95%CI		Prevalence	95%CI	
2001	3,313	24.8	24.0 25.7	103.8	95.8 111.9	28.4	26.6 30.2	18.6	17.2 20.0	18.5	17.1 20.0	18.3	16.6 20.0					
2002	3,728	27.8	26.9 28.7	119.4	110.7 128.1	33.2	31.2 35.2	21.2	19.6 22.7	19.5	18.1 21.0	19.9	18.1 21.6					
2003	4,099	30.4	29.5 31.3	130.5	121.6 139.5	36.5	34.4 38.5	22.9	21.3 24.5	21.0	19.5 22.5	22.2	20.4 24.0					
2004	4,252	31.4	30.5 32.3	135.1	126.1 144.0	38.5	36.4 40.7	22.2	20.6 23.7	21.5	20.0 23.0	23.2	21.4 25.1					
2005	4,599	33.8	32.8 34.8	130.1	121.4 138.9	42.9	40.6 45.2	26.4	24.7 28.1	22.7	21.1 24.2	24.4	22.6 26.3					
2006	4,845	35.5	34.5 36.5	138.9	130.0 147.8	44.6	42.2 46.9	27.5	25.8 29.3	23.9	22.3 25.5	25.3	23.5 27.2					
2007	5,358	39.1	38.0 40.1	148.7	139.6 157.8	47.6	45.2 49.9	29.6	27.7 31.4	28.2	26.5 29.9	27.9	26.0 29.9					
2008	5,540	40.2	39.1 41.2	154.4	145.3 163.4	46.9	44.6 49.2	31.5	29.6 33.5	28.0	26.3 29.8	29.0	27.0 30.9					
2009	6,003	43.3	42.2 44.4	172.0	162.4 181.5	51.7	49.3 54.1	33.2	31.2 35.1	28.8	27.0 30.5	31.2	29.1 33.2					
2010	6,461	46.4	45.3 47.5	184.3	174.5 194.1	53.3	50.9 55.7	36.1	34.0 38.2	31.9	30.0 33.7	33.2	31.1 35.3					
2011	6,672	47.7	46.6 48.9	173.9	164.4 183.4	53.7	51.3 56.1	38.7	36.6 40.8	33.9	32.0 35.9	35.4	33.3 37.6					
2012	7,286	51.9	50.8 53.1	195.7	185.7 205.8	58.8	56.3 61.3	41.4	39.2 43.6	37.1	35.0 39.1	36.8	34.6 39.1					
2013	7,640	54.3	53.1 55.5	204.0	193.7 214.4	62.6	60.0 65.1	41.7	39.5 43.8	38.8	36.7 40.9	39.6	37.3 41.8					
2014	8,100	57.5	56.2 58.7	205.2	194.7 215.7	66.6	64.0 69.2	44.6	42.4 46.8	42.2	40.0 44.4	43.1	40.7 45.5					
2015	8,489	59.9	58.6 61.1	222.4	211.6 233.3	69.7	67.0 72.4	45.3	43.1 47.5	43.6	41.3 45.8	44.0	41.6 46.4					
2016	8,881	62.2	60.9 63.5	216.9	206.3 227.6	69.6	66.9 72.3	48.9	46.7 51.2	48.8	46.4 51.1	46.5	44.0 49.0					
2017	8,832	61.5	60.2 62.8	208.6	198.2 218.9	69.0	66.3 71.6	47.3	45.1 49.5	49.2	46.9 51.6	47.0	44.4 49.5					
95% CI: 95% Confidence intervals																		




Figure 6: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by diagnosis in East of England Government Office Region




Figure 7: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by sex in East of England Government Office Region




Figure 8 Prevalence of children (age 0-19) with life-limiting conditions by ethnic group for 2017 for East of England Government office region.




Figure 9: Prevalence of children (age 0-19) with life-limiting conditions by (population weighted) deprivation group for 2017 for East of England Government office region.

Table 4: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by Local Authority in East of England Government Office Region for 2017

Local Authority	Number of cases	Total population	Prevalence per 10,000	95% Confidence intervals	
Babergh	93	19878	46.8	37.3	56.3
Basildon	288	43211	66.6	59.0	74.3
Bedford Unitary	273	40757	67.0	59.1	74.9
Braintree	236	36772	64.2	56.0	72.3
Breckland	168	29771	56.4	47.9	64.9
Brentwood	92	17251	53.3	42.5	64.2
Broadland	120	25563	46.9	38.6	55.3
Broxbourne	141	24217	58.2	48.6	67.8
Cambridge	130	28472	45.7	37.8	53.5
Castle Point	114	18186	62.7	51.2	74.2
Central Bedfordshire	394	62804	62.7	56.6	68.9
Chelmsford	272	40392	67.3	59.4	75.3
City of Peterborough	417	52597	79.3	71.7	86.9
Colchester	293	42289	69.3	61.4	77.2
Dacorum	252	36687	68.7	60.2	77.1
East Cambridgeshire	96	21849	43.9	35.2	52.7
East Hertfordshire	179	34668	51.6	44.1	59.2
Epping Forest	154	29145	52.8	44.5	61.2
Fenland	128	21814	58.7	48.5	68.8
Forest Heath	70	15025	46.6	35.7	57.5
Great Yarmouth	143	22131	64.6	54.1	75.2
Harlow	137	21336	64.2	53.5	74.9
Hertsmere	154	26236	58.7	49.5	67.9
Huntingdonshire	260	40101	64.8	57.0	72.7
Ipswich	214	34096	62.8	54.4	71.1
King's Lynn and West Norfolk	190	31960	59.4	51.0	67.9
Luton	636	66110	96.2	88.8	103.6
Maldon	109	12684	85.9	69.9	102.0
Mid Suffolk	119	22410	53.1	43.6	62.6
North Hertfordshire	159	31423	50.6	42.8	58.4
North Norfolk	102	18489	55.2	44.5	65.8
Norwich	163	30590	53.3	45.1	61.4
Rochford	102	18444	55.3	44.6	66.0
South Cambridgeshire	191	38119	50.1	43.0	57.2
South Norfolk	155	29435	52.7	44.4	60.9
Southend-on-Sea	257	41828	61.4	54.0	68.9
St. Albans	241	38393	62.8	54.9	70.7
St. Edmundsbury	129	26756	48.2	39.9	56.5
Stevenage	150	21831	68.7	57.8	79.7
Suffolk Coastal	142	28032	50.7	42.3	59.0
Tendring	193	28223	68.4	58.8	78.0
Three Rivers	135	22334	60.4	50.3	70.6

Thurrock	268	44568	60.1	53.0	67.3
Uttlesford	89	20394	43.6	34.6	52.7
Watford	187	25566	73.1	62.7	83.6
Waveney	142	24934	57.0	47.6	66.3
Welwyn Hatfield	155	28526	54.3	45.8	62.9




Figure 10 Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by Local Authority in East of England Government Office Region for 2017

Table 5: Number of cases and prevalence (per 10,000 population) of children (aged 0-19) with life-limiting conditions by year and age group for London Government Office Region

Financial year	Total Number of cases	Overall			age < 1			age 1-5			age 6-10			age 11-15			age 16-19		
		Prevalence	95%CI		Prevalence	95%CI		Prevalence	95%CI		Prevalence	95%CI		Prevalence	95%CI		Prevalence	95%CI	
2001	4,921	27.6	26.8	28.3	122.3	115.4	129.2	30.6	29.0	32.2	19.1	17.8	20.3	19.7	18.4	21.0	17.3	15.9	18.7
2002	5,457	30.2	29.4	31.1	115.0	108.4	121.6	35.1	33.4	36.8	21.8	20.5	23.2	21.9	20.5	23.2	20.3	18.8	21.8
2003	5,918	32.5	31.7	33.3	121.6	115.0	128.2	39.1	37.3	40.9	23.8	22.4	25.2	21.8	20.5	23.2	21.5	19.9	23.0
2004	6,372	34.8	33.9	35.6	128.9	122.2	135.6	42.9	41.0	44.8	24.1	22.7	25.6	23.6	22.1	25.0	22.8	21.2	24.3
2005	7,174	38.8	37.9	39.7	138.5	131.6	145.3	46.6	44.7	48.5	27.0	25.5	28.5	26.4	24.9	27.9	27.6	25.9	29.3
2006	7,639	41.0	40.0	41.9	158.6	151.4	165.8	45.8	43.9	47.6	30.1	28.5	31.7	26.5	25.0	28.0	28.3	26.6	30.0
2007	8,338	44.1	43.1	45.0	158.6	151.6	165.7	50.6	48.7	52.6	32.5	30.8	34.1	29.2	27.6	30.8	29.8	28.0	31.6
2008	9,001	46.9	45.9	47.8	202.3	194.5	210.1	49.8	47.9	51.7	32.5	30.8	34.1	29.8	28.2	31.4	28.8	27.1	30.5
2009	9,485	48.5	47.6	49.5	184.3	176.8	191.8	52.6	50.7	54.5	37.1	35.4	38.9	31.8	30.2	33.4	31.7	29.9	33.5
2010	10,111	51.0	50.0	52.0	182.5	175.1	189.9	56.0	54.0	57.9	39.4	37.6	41.2	34.3	32.6	36.0	33.9	32.1	35.8
2011	10,543	52.5	51.5	53.5	173.3	166.1	180.5	58.0	56.1	60.0	41.7	39.8	43.5	36.7	34.9	38.4	36.4	34.5	38.3
2012	11,406	55.9	54.9	56.9	181.7	174.5	188.9	62.0	60.0	64.0	44.7	42.9	46.6	39.8	37.9	41.6	36.3	34.4	38.2
2013	12,421	60.0	58.9	61.0	203.4	195.8	211.0	64.0	61.9	66.0	48.7	46.8	50.6	41.7	39.8	43.5	41.0	39.0	43.0
2014	13,093	62.3	61.2	63.3	220.6	212.7	228.6	62.8	60.9	64.8	50.2	48.3	52.1	47.1	45.1	49.1	42.4	40.3	44.4
2015	13,611	63.8	62.7	64.9	223.7	215.8	231.7	66.1	64.1	68.2	51.4	49.5	53.3	47.8	45.8	49.8	42.3	40.3	44.4
2016	14,080	65.1	64.0	66.2	232.3	224.2	240.3	66.5	64.4	68.5	50.2	48.3	52.0	49.3	47.2	51.3	46.0	43.9	48.1
2017	14,361	65.5	64.4	66.5	211.9	204.2	219.5	66.7	64.7	68.8	51.8	49.9	53.6	51.3	49.3	53.3	49.6	47.4	51.8
95% CI: 95% Confidence intervals																			




Figure 11: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by diagnosis in London Government Office Region




Figure 12: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by sex in London Government Office Region




Figure 13: Prevalence of children (age 0-19) with life-limiting conditions by ethnic group for 2017 for London Government office region




Figure 14: Prevalence of children (age 0-19) with life-limiting conditions by (population weighted) deprivation group for 2017 for London Government office region.

Table 6: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by Local Authority in London Government Office Region for 2017

Local Authority	Number of cases	Total population	Prevalence per 10,000	95% Confidence intervals
Barking and Dagenham	406	69124	58.7	53.0 64.4
Barnet	562	101930	55.1	50.6 59.7
Bexley	355	62648	56.7	50.8 62.5
Brent	634	84345	75.2	69.3 81.0
Bromley	535	77628	68.9	63.1 74.7
Camden	307	49370	62.2	55.2 69.1
City of London & Westminster	288	46999	61.3	54.2 68.3
Croydon	735	109368	67.2	62.4 72.0
Ealing	556	92644	60.0	55.0 65.0
Enfield	616	96191	64.0	59.0 69.1
Greenwich	518	75789	68.3	62.5 74.2
Hackney	431	63534	67.8	61.5 74.2
Hammersmith and Fulham	237	38280	61.9	54.1 69.8
Haringey	463	66171	70.0	63.6 76.3
Harrow	468	68712	68.1	62.0 74.3
Havering	371	58106	63.8	57.4 70.3
Hillingdon	534	81093	65.9	60.3 71.4
Hounslow	494	70261	70.3	64.1 76.5
Islington	342	43475	78.7	70.4 87.0
Kensington and Chelsea	183	29810	61.4	52.5 70.3
Kingston upon Thames	289	41791	69.2	61.2 77.1
Lambeth	487	68620	71.0	64.7 77.3
Lewisham	501	75081	66.7	60.9 72.6
Merton	329	50661	64.9	57.9 71.9
Newham	616	99085	62.2	57.3 67.1
Redbridge	524	95709	54.7	50.1 59.4
Richmond upon Thames	255	47501	53.7	47.1 60.3
Southwark	503	68229	73.7	67.3 80.1
Sutton	354	49683	71.3	63.9 78.6
Tower Hamlets	512	69276	73.9	67.5 80.3
Waltham Forest	483	76138	63.4	57.8 69.1
Wandsworth	473	66677	70.9	64.6 77.3




Figure 15 Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by Local Authority in London Government Office Region for 2017

North East

Table 7: : Number of cases and prevalence (per 10,000 population) of children (aged 0-19) with life-limiting conditions by year and age group for North East Government Office Region

Financial year	Total Number of cases	Overall Prevalence 95%CI			age < 1			age 1-5			age 6-10			age 11-15			age 16-19		
		Prevalence	95%CI		Prevalence	95%CI		Prevalence	95%CI		Prevalence	95%CI		Prevalence	95%CI		Prevalence	95%CI	
2001	1,924	30.4	29.0	31.8	149.2	134.5	164.0	37.7	34.5	40.9	24.9	22.5	27.3	20.9	18.7	23.1	18.1	15.8	20.4
2002	2,092	33.3	31.9	34.7	152.0	137.1	167.0	44.7	41.3	48.2	25.6	23.1	28.1	23.9	21.6	26.3	19.4	17.1	21.8
2003	2,255	36.2	34.7	37.7	146.6	132.1	161.0	51.4	47.6	55.2	27.1	24.5	29.7	26.3	23.8	28.7	22.1	19.6	24.6
2004	2,416	39.1	37.5	40.6	158.0	143.3	172.7	52.8	48.9	56.7	31.2	28.4	34.0	27.3	24.8	29.8	24.8	22.2	27.5
2005	2,643	43.1	41.5	44.8	169.7	154.6	184.9	59.9	55.8	64.1	32.6	29.7	35.5	31.0	28.3	33.7	27.1	24.3	29.8
2006	2,756	45.3	43.6	47.0	174.6	159.5	189.7	63.3	59.0	67.5	36.3	33.2	39.3	28.6	26.1	31.2	29.7	26.8	32.5
2007	2,983	49.2	47.4	51.0	175.5	160.4	190.6	67.9	63.5	72.2	43.0	39.6	46.4	30.6	27.9	33.3	32.0	29.0	35.0
2008	3,126	51.8	49.9	53.6	182.8	167.7	197.9	70.2	65.9	74.6	44.3	40.8	47.8	32.8	30.0	35.7	33.2	30.1	36.2
2009	3,228	53.7	51.8	55.5	198.0	182.1	213.8	69.3	65.0	73.6	45.0	41.5	48.6	36.9	33.9	40.0	33.7	30.6	36.7
2010	3,338	55.6	53.7	57.4	187.3	172.0	202.6	70.7	66.4	75.0	48.8	45.1	52.5	37.9	34.8	41.0	36.7	33.5	39.9
2011	3,334	55.7	53.8	57.6	159.9	145.9	174.0	71.4	67.1	75.6	48.9	45.2	52.6	41.2	37.9	44.4	37.8	34.5	41.0
2012	3,455	58.2	56.3	60.1	182.3	167.2	197.4	72.8	68.5	77.1	51.1	47.3	54.9	41.6	38.3	45.0	38.8	35.5	42.2
2013	3,587	60.7	58.7	62.7	205.8	189.6	222.0	74.8	70.4	79.1	49.9	46.2	53.6	44.6	41.1	48.1	40.5	37.1	44.0
2014	3,748	63.7	61.7	65.7	222.6	205.6	239.7	76.6	72.2	81.0	53.7	49.9	57.5	47.7	44.0	51.3	41.3	37.8	44.8
2015	3,900	66.3	64.2	68.4	229.4	212.1	246.7	80.2	75.7	84.7	55.9	52.1	59.7	49.4	45.6	53.1	43.1	39.5	46.7
2016	3,998	68.1	66.0	70.2	222.8	205.8	239.8	82.7	78.1	87.3	57.0	53.2	60.8	49.9	46.1	53.6	47.7	43.9	51.5
2017	4,054	69.1	67.0	71.2	223.1	206.2	240.1	84.5	79.8	89.1	57.6	53.8	61.4	50.5	46.8	54.2	48.7	44.8	52.6
95% CI: 95% Confidence intervals																			




Figure 16: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by diagnosis in North East Government Office Region




Figure 17: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by sex in North East Government Office Region




Figure 18: Prevalence of children (age 0-19) with life-limiting conditions by ethnic group for 2017 for North East Government office region




Figure 19: Prevalence of children (age 0-19) with life-limiting conditions by (population weighted) deprivation group for 2017 for North East Government office region

Table 8: : Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by Local Authority in North East Government Office Region for 2017

Local Authority	Number of cases	Total population	Prevalence per 10,000	95% Confidence intervals
Darlington	189	25533	74.0	63.5 84.5
Durham County	731	113231	64.6	59.9 69.2
Gateshead	328	45439	72.2	64.4 80.0
Hartlepool	162	22019	73.6	62.3 84.9
Middlesbrough	288	35924	80.2	70.9 89.4
Newcastle upon Tyne	454	66529	68.2	62.0 74.5
North Tyneside	280	44498	62.9	55.6 70.3
Northumberland	407	66127	61.5	55.6 67.5
Redcar and Cleveland	250	30241	82.7	72.5 92.9
South Tyneside	185	31145	59.4	50.9 67.9
Stockton-on-Tees	353	47449	74.4	66.7 82.1
Sunderland	427	58595	72.9	66.0 79.8




Figure 20: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by Local Authority in North East Government Office Region for 2017

North West

Table 9: Number of cases and prevalence (per 10,000 population) of children (aged 0-19) with life-limiting conditions by year and age group for North West Government Office Region

Financial year	Total Number of cases	Overall		age < 1		age 1-5		age 6-10		age 11-15		age 16-19	
		Prevalence	95%CI	Prevalence	95%CI	Prevalence	95%CI	Prevalence	95%CI	Prevalence	95%CI	Prevalence	95%CI
2001	5,150	29.6	28.8 30.4	160.1	151.0 169.1	35.3	33.5 37.1	21.2	19.8 22.5	20.4	19.1 21.7	18.1	16.7 19.6
2002	5,734	33.1	32.2 33.9	153.5	144.7 162.3	44.0	41.9 46.0	23.8	22.3 25.2	23.2	21.8 24.6	20.1	18.6 21.6
2003	6,174	35.7	34.8 36.6	153.4	144.7 162.2	50.7	48.5 52.9	25.4	23.9 26.9	23.5	22.1 24.9	22.8	21.3 24.4
2004	6,439	37.3	36.4 38.2	153.5	144.9 162.1	51.7	49.4 54.0	27.0	25.4 28.5	25.6	24.1 27.0	24.2	22.6 25.7
2005	6,847	39.9	39.0 40.9	153.8	145.4 162.3	56.6	54.3 59.0	29.6	28.0 31.3	26.3	24.8 27.8	26.2	24.6 27.9
2006	7,527	44.0	43.0 45.0	171.3	162.5 180.2	60.1	57.7 62.6	33.9	32.1 35.6	28.9	27.3 30.4	28.7	27.0 30.4
2007	7,876	46.2	45.2 47.2	175.3	166.4 184.2	61.4	59.0 63.9	36.7	34.9 38.6	30.3	28.7 32.0	30.2	28.5 31.9
2008	8,604	50.6	49.5 51.6	189.4	180.4 198.4	64.7	62.3 67.2	41.6	39.6 43.6	32.4	30.8 34.1	33.6	31.7 35.4
2009	8,747	51.5	50.4 52.5	197.7	188.4 207.0	64.1	61.7 66.6	42.5	40.4 44.5	33.3	31.6 35.0	34.1	32.2 35.9
2010	9,297	54.8	53.7 56.0	191.5	182.4 200.6	67.6	65.2 70.1	45.9	43.8 48.1	37.8	35.9 39.6	37.2	35.3 39.2
2011	9,362	55.4	54.3 56.5	178.9	170.1 187.6	66.5	64.1 69.0	50.0	47.8 52.2	39.2	37.3 41.1	36.9	34.9 38.9
2012	9,906	58.7	57.6 59.9	194.0	184.9 203.0	70.4	68.0 72.9	51.1	48.9 53.3	42.6	40.6 44.5	38.0	35.9 40.0
2013	10,467	62.1	60.9 63.3	231.3	221.4 241.3	70.2	67.7 72.7	52.4	50.1 54.6	45.1	43.0 47.2	40.8	38.7 42.9
2014	11,047	65.6	64.4 66.8	238.4	228.2 248.6	74.6	72.0 77.1	54.5	52.3 56.8	48.3	46.2 50.5	44.8	42.6 47.0
2015	11,230	66.6	65.3 67.8	229.8	219.7 239.8	79.4	76.7 82.0	52.8	50.6 55.0	49.7	47.5 51.9	46.2	44.0 48.5
2016	11,764	69.6	68.4 70.9	233.1	223.1 243.2	81.1	78.5 83.8	55.6	53.3 57.8	53.8	51.5 56.1	49.9	47.5 52.2
2017	12,278	72.5	71.3 73.8	221.9	212.1 231.7	85.7	83.0 88.5	58.9	56.6 61.1	57.0	54.6 59.3	53.3	50.8 55.7

95% CI: 95% Confidence intervals




Figure 21: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by diagnosis in North West Government Office Region




Figure 22: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by sex in North West Government Office Region




Figure 23: Prevalence of children (age 0-19) with life-limiting conditions by ethnic group for 2017 for North West Government office region.




Figure 24: Prevalence of children (age 0-19) with life-limiting conditions by (population weighted) deprivation group for 2017 for North West Government office region.

Table 10: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by Local Authority in North West Government Office Region for 2017

Local Authority	Number of cases	Total population	Prevalence per 10,000	95% Confidence intervals
Allerdale	116	19650	59.0	48.3 69.7
Barrow-in-Furness	135	14375	93.9	78.1 109.7
Blackburn with Darwen	383	44766	85.6	77.0 94.1
Blackpool	237	31633	74.9	65.4 84.4
Bolton	544	73442	74.1	67.9 80.3
Burnley	195	21600	90.3	77.7 102.9
Bury	373	47290	78.9	70.9 86.8
Carlisle	148	24106	61.4	51.5 71.3
Cheshire East	506	81125	62.4	57.0 67.8
Cheshire West and Chester	476	70848	67.2	61.2 73.2
Chorley	145	24659	58.8	49.3 68.3
Copeland	91	14823	61.4	48.8 74.0
Eden	45	10158	44.3	31.4 57.2
Fylde	80	15391	52.0	40.6 63.3
Halton	259	31296	82.8	72.7 92.8
Hyndburn	209	20881	100.1	86.6 113.6
Knowsley	307	34744	88.4	78.5 98.2
Lancaster	211	31591	66.8	57.8 75.8
Liverpool	774	103071	75.1	69.8 80.4
Manchester	1148	142630	80.5	75.9 85.1
Oldham	499	66356	75.2	68.6 81.8
Pendle	200	24008	83.3	71.8 94.8
Preston	258	35893	71.9	63.1 80.6
Ribble Valley	76	13080	58.1	45.1 71.1
Rochdale	452	57454	78.7	71.4 85.9
Rossendale	118	16585	71.1	58.4 83.9
Salford	469	58856	79.7	72.5 86.9
Sefton	388	57963	66.9	60.3 73.6
South Lakeland	102	19402	52.6	42.4 62.7
South Ribble	164	25173	65.1	55.2 75.1
St. Helens	328	38698	84.8	75.6 93.9
Stockport	449	65765	68.3	62.0 74.6
Tameside	416	54349	76.5	69.2 83.9
Trafford	355	59551	59.6	53.4 65.8
Warrington	326	47504	68.6	61.2 76.1
West Lancashire	152	24309	62.5	52.6 72.4
Wigan	455	75269	60.4	54.9 66.0
Wirral	522	72768	71.7	65.6 77.9
Wyre	167	21297	78.4	66.6 90.3




Figure 25 Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by Local Authority in North West Government Office Region for 2017

South East

Table 11: Number of cases and prevalence (per 10,000 population) of children (aged 0-19) with life-limiting conditions by year and age group for South East Government Office Region

Financial year	Total Number of cases	Overall Prevalence 95%CI			age < 1 Prevalence 95%CI			age 1-5 Prevalence 95%CI			age 6-10 Prevalence 95%CI			age 11-15 Prevalence 95%CI			age 16-19 Prevalence 95%CI		
2001	5,157	26.0	25.3	26.8	123.0	115.8	130.3	31.0	29.4	32.6	18.7	17.5	19.8	18.9	17.7	20.1	16.7	15.4	17.9
2002	5,760	29.1	28.3	29.8	137.1	129.4	144.8	36.1	34.4	37.8	21.2	19.9	22.5	20.7	19.5	22.0	17.8	16.5	19.1
2003	6,184	31.1	30.3	31.9	132.0	124.5	139.4	39.3	37.5	41.0	23.5	22.1	24.8	21.5	20.2	22.7	21.1	19.6	22.5
2004	6,542	32.8	32.0	33.6	128.1	120.9	135.3	43.1	41.3	45.0	24.6	23.2	25.9	22.0	20.7	23.2	23.1	21.6	24.6
2005	7,222	36.1	35.3	36.9	139.7	132.1	147.2	46.4	44.4	48.3	27.5	26.1	29.0	25.6	24.3	27.0	24.8	23.3	26.3
2006	7,584	37.7	36.9	38.6	151.4	143.7	159.1	48.6	46.6	50.6	28.4	26.9	29.9	25.5	24.1	26.8	25.8	24.3	27.3
2007	8,159	40.3	39.4	41.1	149.3	141.8	156.8	50.5	48.4	52.5	32.4	30.8	34.0	27.8	26.3	29.2	27.7	26.1	29.3
2008	8,642	42.4	41.5	43.3	160.7	153.0	168.3	51.7	49.7	53.7	33.3	31.7	34.9	29.5	28.0	31.0	29.3	27.7	30.9
2009	9,272	45.2	44.3	46.1	175.6	167.6	183.6	52.7	50.7	54.7	38.0	36.3	39.8	31.5	30.0	33.0	30.1	28.5	31.8
2010	9,790	47.4	46.4	48.3	177.0	169.0	184.9	53.9	51.9	55.9	40.3	38.5	42.1	33.1	31.5	34.7	33.1	31.4	34.8
2011	9,825	47.3	46.3	48.2	158.2	150.8	165.7	54.6	52.6	56.6	40.6	38.8	42.3	34.3	32.8	35.9	33.7	32.0	35.4
2012	10,543	50.6	49.6	51.5	174.2	166.3	182.0	55.9	53.9	57.9	44.2	42.3	46.0	37.8	36.1	39.4	35.8	34.1	37.6
2013	11,283	54.0	53.0	55.0	201.5	193.0	210.0	59.9	57.8	61.9	44.8	43.0	46.7	39.8	38.1	41.6	37.9	36.1	39.7
2014	11,708	55.9	54.9	56.9	203.1	194.5	211.7	62.0	59.9	64.1	47.2	45.4	49.1	41.3	39.5	43.1	40.4	38.5	42.3
2015	12,319	58.5	57.5	59.6	219.0	210.0	227.9	65.2	63.0	67.3	47.1	45.3	49.0	45.5	43.6	47.4	40.9	39.0	42.8
2016	13,014	61.6	60.5	62.6	230.9	221.8	240.0	68.4	66.2	70.6	48.1	46.3	49.9	48.2	46.3	50.1	44.5	42.5	46.5
2017	13,490	63.5	62.5	64.6	229.9	220.9	239.0	71.1	68.8	73.3	49.8	48.0	51.7	49.7	47.8	51.7	47.0	44.9	49.1
95% CI: 95% Confidence intervals																			




Figure 26: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by diagnosis in South East Government Office Region




Figure 27: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by sex in South East Government Office Region




Figure 28: Prevalence of children (age 0-19) with life-limiting conditions by ethnic group for 2017 for South East Government office region.




Figure 29: Prevalence of children (age 0-19) with life-limiting conditions by (population weighted) deprivation group for 2017 for South East Government office region.

Table 12 Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by Local Authority in South East Government Office Region for 2017

Local Authority	Number of cases	Total population	Prevalence per 10,000	95% Confidence intervals	
Adur	107	13253	80.7	65.5	96.0
Arun	206	29981	68.7	59.4	78.1
Ashford	197	31370	62.8	54.1	71.5
Aylesbury Vale	293	46106	63.5	56.3	70.8
Basingstoke and Deane	257	42914	59.9	52.6	67.2
Bracknell Forest	137	29221	46.9	39.1	54.7
Brighton & Hove	425	59328	71.6	64.8	78.4
Canterbury	189	35900	52.6	45.2	60.1
Cherwell	253	35474	71.3	62.6	80.1
Chichester	173	23732	72.9	62.1	83.7
Chiltern	121	23669	51.1	42.0	60.2
City of Portsmouth	315	51736	60.9	54.2	67.6
City of Southampton	467	58169	80.3	73.0	87.5
Crawley	204	28822	70.8	61.1	80.5
Dartford	182	26264	69.3	59.3	79.3
Dover	167	25275	66.1	56.1	76.1
East Hampshire	184	26736	68.8	58.9	78.7
Eastbourne	161	21901	73.5	62.2	84.8
Eastleigh	209	30314	68.9	59.6	78.3
Elmbridge	195	35287	55.3	47.5	63.0
Epsom and Ewell	130	19315	67.3	55.8	78.8
Fareham	146	24140	60.5	50.7	70.3
Gosport	133	20385	65.2	54.2	76.3
Gravesham	184	27401	67.2	57.5	76.8
Guildford	184	33189	55.4	47.5	63.4
Hart	108	23046	46.9	38.0	55.7
Hastings	149	20978	71.0	59.7	82.4
Havant	185	27251	67.9	58.1	77.6
Horsham	176	30244	58.2	49.6	66.8
Isle of Wight	203	28776	70.5	60.9	80.2
Lewes	185	21534	85.9	73.6	98.2
Maidstone	227	38690	58.7	51.1	66.3
Medway	479	68290	70.1	63.9	76.4
Mid Sussex	241	33860	71.2	62.2	80.1
Milton Keynes	470	75115	62.6	56.9	68.2
Mole Valley	105	19704	53.3	43.1	63.5
New Forest	258	35685	72.3	63.5	81.1
Oxford	215	38567	55.7	48.3	63.2
Reading	238	40886	58.2	50.8	65.6
Reigate and Banstead	232	34351	67.5	58.9	76.2
Rother	117	18184	64.3	52.7	76.0
Runnymede	107	18678	57.3	46.5	68.1

Rushmoor	128	23980	53.4	44.2	62.6
Sevenoaks	168	27826	60.4	51.3	69.5
Shepway	150	24391	61.5	51.7	71.3
Slough	352	48816	72.1	64.6	79.6
South Bucks	109	16551	65.9	53.5	78.2
South Oxfordshire	191	31853	60.0	51.5	68.4
Spelthorne	135	22139	61.0	50.7	71.2
Surrey Heath	100	20802	48.1	38.7	57.5
Swale	280	34672	80.8	71.3	90.2
Tandridge	135	19979	67.6	56.2	78.9
Test Valley	192	27173	70.7	60.7	80.6
Thanet	218	33013	66.0	57.3	74.8
Tonbridge and Malling	184	31055	59.2	50.7	67.8
Tunbridge Wells	116	29671	39.1	32.0	46.2
Vale of White Horse	191	29180	65.5	56.2	74.7
Waverley	151	30267	49.9	42.0	57.8
Wealden	194	32940	58.9	50.6	67.2
West Berkshire	209	39385	53.1	45.9	60.2
West Oxfordshire	152	24546	61.9	52.1	71.7
Winchester	170	28702	59.2	50.4	68.1
Windsor and Maidenhead	205	37100	55.3	47.7	62.8
Woking	138	26132	52.8	44.0	61.6
Wokingham	230	40653	56.6	49.3	63.9
Worthing	153	23997	63.8	53.7	73.8
Wycombe	325	44709	72.7	64.8	80.6




Figure 30: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by Local Authority in South East Government Office Region for 2017

South West

Table 13: Number of cases and prevalence (per 10,000 population) of children (aged 0-19) with life-limiting conditions by year and age group for South West Government Office Region

Financial year	Total Number of cases	Overall Prevalence 95%CI			age < 1 Prevalence 95%CI			age 1-5 Prevalence 95%CI			age 6-10 Prevalence 95%CI			age 11-15 Prevalence 95%CI			age 16-19 Prevalence 95%CI		
2001	3,179	27.1	26.2	28.1	147.3	136.7	157.8	31.9	29.8	34.0	19.7	18.1	21.2	17.0	15.5	18.4	18.8	17.0	20.6
2002	3,505	29.9	28.9	30.8	150.7	139.9	161.6	37.3	35.0	39.6	22.3	20.6	24.0	19.4	17.9	21.0	20.0	18.2	21.8
2003	3,881	32.9	31.9	34.0	135.9	125.8	145.9	42.3	39.8	44.7	26.8	24.9	28.6	22.8	21.1	24.4	22.1	20.3	24.0
2004	4,111	34.8	33.8	35.9	150.1	139.7	160.6	45.0	42.4	47.6	27.5	25.6	29.4	23.8	22.1	25.5	22.9	21.1	24.8
2005	4,505	38.1	37.0	39.2	160.4	149.7	171.1	47.4	44.8	50.0	31.7	29.7	33.8	26.9	25.1	28.7	24.6	22.7	26.6
2006	4,752	40.2	39.1	41.4	174.1	163.0	185.2	51.6	48.9	54.4	32.7	30.6	34.8	26.7	24.9	28.5	25.9	24.0	27.9
2007	4,864	41.0	39.9	42.2	161.4	151.0	171.8	50.7	48.0	53.4	34.0	31.9	36.2	29.6	27.7	31.5	26.7	24.8	28.7
2008	5,466	46.1	44.8	47.3	200.3	189.0	211.7	53.4	50.6	56.1	38.0	35.7	40.3	31.7	29.7	33.7	29.7	27.7	31.8
2009	5,820	49.0	47.8	50.3	219.0	207.1	230.9	55.4	52.7	58.2	39.3	37.0	41.6	33.7	31.7	35.8	32.9	30.7	35.1
2010	6,142	51.6	50.3	52.9	235.9	223.6	248.1	59.5	56.7	62.3	40.1	37.7	42.5	35.0	32.9	37.1	32.9	30.7	35.0
2011	6,179	51.8	50.5	53.1	201.7	190.5	212.9	61.1	58.3	63.9	42.0	39.6	44.5	36.4	34.3	38.6	34.7	32.4	36.9
2012	6,299	52.8	51.5	54.1	195.1	184.0	206.2	62.0	59.1	64.8	43.3	40.8	45.7	38.4	36.1	40.6	36.2	33.9	38.5
2013	6,837	57.3	55.9	58.6	244.8	232.3	257.4	65.4	62.5	68.3	44.1	41.7	46.5	41.0	38.7	43.4	37.9	35.6	40.3
2014	6,985	58.5	57.2	59.9	241.3	228.8	253.9	68.0	65.0	70.9	45.3	42.9	47.7	42.0	39.6	44.4	40.0	37.6	42.4
2015	7,543	63.0	61.6	64.4	247.9	235.2	260.6	75.3	72.2	78.4	47.3	44.9	49.8	46.1	43.6	48.6	44.0	41.5	46.6
2016	7,935	66.2	64.7	67.6	269.4	256.2	282.6	75.1	72.0	78.2	50.5	48.0	53.0	48.6	46.1	51.2	47.4	44.7	50.1
2017	7,954	66.2	64.7	67.6	245.7	233.1	258.2	76.4	73.3	79.5	51.2	48.7	53.7	49.5	47.0	52.1	49.5	46.7	52.3
95% CI: 95% Confidence intervals																			




Figure 31: : Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by diagnosis in South West Government Office Region




Figure 32: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by sex in South West Government Office Region




Figure 33: : Prevalence of children (age 0-19) with life-limiting conditions by ethnic group for 2017 for South West Government office region.




Figure 34: Prevalence of children (age 0-19) with life-limiting conditions by (population weighted) deprivation group for 2017 for South West Government office region.

Table 14: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by Local Authority in South West Government Office Region for 2017

Local Authority	Number of cases	Total population	Prevalence per 10,000	95% Confidence intervals
Bath and North East Somerset	230	39530	58.2	50.7 65.7
Bournemouth	233	39597	58.8	51.3 66.4
Cheltenham	153	26228	58.3	49.1 67.6
Christchurch	57	9542	59.7	44.3 75.2
City of Bristol	757	108131	70.0	65.0 75.0
City of Plymouth	472	59214	79.7	72.5 86.9
Cornwall & Isles of Scilly	850	116329	73.1	68.2 78.0
Cotswold	96	16978	56.5	45.3 67.8
East Devon	170	26386	64.4	54.8 74.1
East Dorset	125	17098	73.1	60.3 85.9
Exeter	180	27361	65.8	56.2 75.4
Forest of Dean	108	17155	63.0	51.1 74.8
Gloucester	224	31394	71.4	62.0 80.7
Mendip	149	25661	58.1	48.8 67.4
Mid Devon	95	18407	51.6	41.3 62.0
North Devon	136	20816	65.3	54.4 76.3
North Dorset	78	16337	47.7	37.2 58.3
North Somerset	336	46191	72.7	65.0 80.5
Poole	233	33279	70.0	61.1 79.0
Purbeck	66	9201	71.7	54.5 89.0
Sedgemoor	186	26655	69.8	59.8 79.8
South Gloucestershire	402	62390	64.4	58.2 70.7
South Hams	136	16790	81.0	67.4 94.6
South Somerset	264	36267	72.8	64.0 81.5
Stroud	158	25189	62.7	53.0 72.5
Swindon	334	53315	62.6	55.9 69.3
Taunton Deane	199	26083	76.3	65.7 86.9
Teignbridge	173	25129	68.8	58.6 79.1
Tewkesbury	159	18219	87.3	73.8 100.8
Torbay	183	27586	66.3	56.8 75.9
Torridge	80	13399	59.7	46.7 72.8
West Devon	56	11013	50.8	37.6 64.1
West Dorset	129	19829	65.1	53.9 76.2
West Somerset	44	6232	70.6	49.8 91.4
Weymouth and Portland	95	13535	70.2	56.1 84.3
Wiltshire	608	115361	52.7	48.5 56.9




Figure 35: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by Local Authority in South West Government Office Region for 2017

West Midlands

Table 15: Number of cases and prevalence (per 10,000 population) of children (aged 0-19) with life-limiting conditions by year and age group for West Midlands Government Office Region

Financial year	Total Number of cases	Overall			age < 1			age 1-5			age 6-10			age 11-15			age 16-19		
		Prevalence	95%CI		Prevalence	95%CI		Prevalence	95%CI		Prevalence	95%CI		Prevalence	95%CI		Prevalence	95%CI	
2001	3,315	24.3	23.5	25.1	125.0	116.1	134.0	28.1	26.3	29.9	17.9	16.5	19.3	16.3	15.0	17.6	16.4	14.9	17.9
2002	3,631	26.6	25.8	27.5	120.5	111.8	129.1	33.2	31.2	35.2	19.2	17.7	20.6	19.0	17.6	20.4	17.7	16.2	19.3
2003	4,135	30.3	29.4	31.2	146.3	136.8	155.7	39.3	37.1	41.5	20.6	19.0	22.1	20.7	19.2	22.2	18.7	17.1	20.3
2004	4,552	33.3	32.4	34.3	133.7	124.8	142.5	46.4	44.1	48.8	23.3	21.7	25.0	22.6	21.1	24.2	21.7	20.0	23.4
2005	4,948	36.2	35.2	37.2	148.6	139.3	157.8	48.4	45.9	50.8	26.5	24.8	28.3	23.4	21.8	24.9	24.7	22.9	26.6
2006	5,372	39.3	38.2	40.3	164.5	154.9	174.2	51.8	49.3	54.3	28.5	26.7	30.3	25.5	23.8	27.1	26.2	24.3	28.1
2007	5,729	41.7	40.6	42.8	160.0	150.6	169.4	54.3	51.8	56.9	32.2	30.3	34.1	28.1	26.3	29.8	27.5	25.6	29.4
2008	6,153	44.6	43.5	45.7	184.6	174.8	194.5	55.1	52.6	57.6	35.4	33.3	37.4	27.5	25.8	29.2	29.6	27.6	31.5
2009	6,748	48.7	47.5	49.8	206.0	195.6	216.5	57.8	55.2	60.3	40.0	37.8	42.2	30.5	28.7	32.3	31.9	29.8	33.9
2010	7,098	51.1	49.9	52.3	214.6	203.9	225.3	61.4	58.8	64.0	41.8	39.6	44.0	32.1	30.2	33.9	32.7	30.7	34.8
2011	7,136	51.3	50.1	52.5	192.2	182.2	202.2	62.9	60.3	65.5	42.9	40.7	45.2	35.3	33.4	37.3	31.0	29.0	33.0
2012	7,846	56.2	55.0	57.5	211.5	201.2	221.8	67.5	64.8	70.1	45.8	43.5	48.1	39.9	37.8	42.0	33.4	31.3	35.5
2013	8,460	60.4	59.1	61.7	231.2	220.4	242.0	71.0	68.3	73.8	47.8	45.5	50.1	44.3	42.0	46.5	36.8	34.6	39.0
2014	8,844	62.9	61.6	64.2	234.7	223.7	245.7	71.8	69.1	74.6	50.7	48.4	53.1	49.3	46.9	51.7	38.7	36.4	41.0
2015	9,531	67.5	66.2	68.9	257.9	246.3	269.4	77.3	74.5	80.1	53.0	50.6	55.4	51.4	49.0	53.8	43.3	40.9	45.7
2016	9,628	68.0	66.6	69.3	251.3	240.0	262.7	76.4	73.5	79.2	53.5	51.1	55.9	51.1	48.6	53.5	47.9	45.4	50.4
2017	9,779	68.8	67.4	70.1	242.3	231.2	253.4	77.9	75.1	80.7	55.3	52.9	57.7	51.3	48.9	53.7	49.5	46.9	52.1
95% CI: 95% Confidence intervals																			




Figure 36: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by diagnosis in West Midlands Government Office Region




Figure 37: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by sex in West Midlands Government Office Region




Figure 38: Prevalence of children (age 0-19) with life-limiting conditions by ethnic group for 2017 for West Midlands Government office region.




Figure 39: Prevalence of children (age 0-19) with life-limiting conditions by (population weighted) deprivation group for 2017 for West Midlands Government office region

Table 16: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by Local Authority in West Midlands Government Office Region for 2017

Local Authority	Number of cases	Total population	Prevalence per 10,000	95% Confidence intervals
Birmingham	2523	332862	75.8	72.9 78.7
Bromsgrove	121	20673	58.5	48.1 68.9
Cannock Chase	120	22717	52.8	43.4 62.2
City of Stoke-on-Trent	502	62831	79.9	72.9 86.9
City of Wolverhampton	515	64944	79.3	72.5 86.1
County of Herefordshire	274	39097	70.1	61.8 78.4
Coventry	560	85722	65.3	59.9 70.7
Dudley	512	74700	68.5	62.6 74.5
East Staffordshire	175	27954	62.6	53.4 71.8
Lichfield	102	22204	45.9	37.0 54.8
Malvern Hills	72	15634	46.1	35.4 56.7
Newcastle-under-Lyme	215	27554	78.0	67.6 88.4
North Warwickshire	80	13429	59.6	46.6 72.6
Nuneaton and Bedworth	219	30026	72.9	63.3 82.6
Redditch	148	20808	71.1	59.7 82.5
Rugby	130	25585	50.8	42.1 59.5
Sandwell	676	89179	75.8	70.1 81.5
Shropshire	386	66559	58.0	52.2 63.8
Solihull	291	50388	57.8	51.1 64.4
South Staffordshire	120	21963	54.6	44.9 64.4
Stafford	167	28050	59.5	50.5 68.5
Staffordshire Moorlands	154	19851	77.6	65.4 89.8
Stratford-on-Avon	163	25116	64.9	55.0 74.8
Tamworth	121	18684	64.8	53.3 76.3
Telford and Wrekin	329	43603	75.5	67.3 83.6
Walsall	480	73170	65.6	59.8 71.5
Warwick	195	31421	62.1	53.4 70.7
Worcester	165	23194	71.1	60.3 82.0
Wychavon	128	23656	54.1	44.8 63.5
Wyre Forest	136	20603	66.0	55.0 77.1




Figure 40: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by Local Authority in West Midlands Government Office Region for 2017

Yorkshire and Humber

Table 17: Number of cases and prevalence (per 10,000 population) of children (aged 0-19) with life-limiting conditions by year and age group for Yorkshire & Humber Government Office Region

	Total				age < 1			age 1-5			age 6-10			age 11-15			age 16-19		
Financial year	Number of cases	Overall Prevalence		95%CI	Prevalence		95%CI	Prevalence		95%CI	Prevalence		95%CI	Prevalence		95%CI	Prevalence		95%CI
2001	3,299	26.0	25.1	26.8	126.9	117.6	136.3	30.2	28.2	32.2	19.1	17.6	20.6	17.6	16.2	19.0	19.0	17.3	20.7
2002	3,761	29.7	28.7	30.6	123.2	114.0	132.4	38.4	36.2	40.7	22.0	20.4	23.7	20.9	19.3	22.4	20.8	19.0	22.5
2003	3,958	31.2	30.3	32.2	124.5	115.4	133.7	41.2	38.9	43.5	23.3	21.6	25.0	21.4	19.9	23.0	22.6	20.8	24.4
2004	4,157	32.8	31.8	33.8	111.1	102.6	119.5	45.9	43.4	48.4	24.9	23.2	26.7	22.6	21.0	24.2	23.7	21.9	25.5
2005	4,437	35.1	34.0	36.1	119.3	110.7	128.0	47.1	44.6	49.6	27.0	25.2	28.8	25.0	23.3	26.6	25.4	23.5	27.3
2006	4,863	38.5	37.5	39.6	144.2	134.8	153.6	49.8	47.2	52.4	29.3	27.4	31.2	27.2	25.4	29.0	26.7	24.8	28.6
2007	5,111	40.5	39.4	41.6	149.2	139.7	158.6	50.5	47.9	53.0	33.0	30.9	35.0	27.4	25.6	29.2	28.4	26.4	30.4
2008	5,487	43.3	42.2	44.5	151.4	142.1	160.7	55.0	52.4	57.6	35.5	33.3	37.6	30.1	28.2	32.0	28.7	26.7	30.7
2009	5,773	45.4	44.2	46.6	167.2	157.4	177.0	56.3	53.7	58.9	38.2	36.0	40.5	30.0	28.1	31.9	29.7	27.7	31.7
2010	6,078	47.7	46.5	48.9	171.7	161.9	181.6	59.2	56.6	61.9	41.7	39.4	44.0	31.4	29.4	33.3	29.8	27.7	31.8
2011	6,400	50.1	48.9	51.3	172.6	162.6	182.5	63.8	61.1	66.6	42.5	40.2	44.9	32.8	30.8	34.8	32.5	30.4	34.6
2012	7,060	55.3	54.0	56.6	185.6	175.5	195.7	67.8	65.0	70.6	48.8	46.3	51.3	35.9	33.8	38.0	36.5	34.2	38.7
2013	7,444	58.2	56.9	59.5	203.1	192.4	213.8	71.4	68.6	74.3	48.8	46.4	51.3	40.3	38.1	42.6	36.5	34.2	38.7
2014	7,915	61.8	60.4	63.1	229.7	218.3	241.2	76.5	73.6	79.5	48.5	46.1	50.9	43.5	41.2	45.9	38.1	35.8	40.5
2015	8,541	66.3	64.9	67.7	263.6	251.3	275.9	79.8	76.8	82.8	50.8	48.3	53.2	46.8	44.3	49.2	41.5	39.1	43.9
2016	8,787	68.0	66.6	69.4	253.0	241.0	264.9	82.4	79.3	85.4	53.1	50.7	55.6	48.7	46.2	51.2	43.6	41.1	46.1
2017	9,224	71.1	69.6	72.5	254.5	242.6	266.4	86.4	83.2	89.5	56.1	53.6	58.7	50.8	48.3	53.3	46.8	44.1	49.4




Figure 41: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by diagnosis in Yorkshire and Humber Government Office Region




Figure 42: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by sex in Yorkshire and Humber Government Office Region




Figure 43: Prevalence of children (age 0-19) with life-limiting conditions by ethnic group for 2017 for Yorkshire and Humber Government office region.




Figure 44: Prevalence of children (age 0-19) with life-limiting conditions by (population weighted) deprivation group for 2017 for Yorkshire and Humber Government office region

Table 18: Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by Local Authority in Yorkshire and Humber Government Office Region for 2017

Local Authority	Number of cases	Total population	Prevalence per 10,000	95% Confidence intervals	
Barnsley	412	54492	75.6	68.3	82.9
Bradford	1607	167045	96.2	91.5	100.9
Calderdale	364	50087	72.7	65.2	80.1
City of Kingston upon Hull	436	61897	70.4	63.9	77.0
Craven	61	11656	52.3	39.2	65.4
Doncaster	466	72037	64.7	58.8	70.5
East Riding of Yorkshire	351	69687	50.4	45.1	55.6
Hambleton	89	18202	48.9	38.8	59.0
Harrogate	234	36280	64.5	56.3	72.7
Kirklees	685	112867	60.7	56.2	65.2
Leeds	1242	183384	67.7	64.0	71.5
North East Lincolnshire	249	37676	66.1	57.9	74.3
North Lincolnshire	228	40161	56.8	49.4	64.1
Richmondshire	56	12401	45.2	33.4	57.0
Rotherham	436	60636	71.9	65.2	78.6
Ryedale	47	10837	43.4	31.0	55.7
Scarborough	144	22111	65.1	54.5	75.7
Selby	113	19246	58.7	47.9	69.5
Sheffield	1234	139895	88.2	83.3	93.1
Wakefield	519	74479	69.7	63.7	75.7
York	251	43058	58.3	51.1	65.5




Figure 45 Prevalence per 10,000 of children (aged 0-19) with life-limiting conditions by Local Authority in Yorkshire and Humber Government Office Region for 2017

